


OIM102 SN3462 Bode X

Tuesday, November 22, 2016

10:59 AM



Cursor Position

Frequency (Hz)	Magnitude (dB)
310.000	-3.128

Frequency (Hz)	Phase (deg)
0.000	0.000

Closed Loop Error Rejection Open Loop

SN

Frequency	Magnitude	Phase
4000.000	-17.437	-91.032

X Axis Y Axis


START

PRINT

OIM102 SN3462 Bode Y

Tuesday, November 22, 2016

11:00 AM



Cursor Position

Frequency (Hz)	Magnitude (dB)
350.000	-3.022
Frequency (Hz)	Phase (deg)
0.000	0.000

Closed Loop Error Rejection Open Loop

SN


Frequency	Magnitude	Phase
4000.000	-19.986	-161.874

X Axis Y Axis

OIM102 SN3462 Small Step X

Tuesday, November 22, 2016


11:01 AM



OIM102 SN3462 Med Step X

Tuesday, November 22, 2016


11:01 AM



OIM102 SN3462 Large Step X

Tuesday, November 22, 2016


11:02 AM



OIM102 SN3462 Small Step Y

Tuesday, November 22, 2016


11:02 AM



OIM102 SN3462 Med Step Y

Tuesday, November 22, 2016

11:03 AM



OIM102 SN3462 Large Step Y

Tuesday, November 22, 2016

11:03 AM

