


OIM3300 SN3014 Bode X

Wednesday, January 09, 2013

3:50 PM



$X P=2.35, I=0,$

$D=31.0K$

$Y P=530, I=0,$

$D=49.7K$

$Range = 7.0 deg$

Cursor Position

Frequency (Hz) Magnitude (dB)
180.000 -2.768

Frequency (Hz) Phase (deg)
0.000 0.000

Closed Loop Error Rejection Open Loop

SN OIM3300 SN3014

Frequency Magnitude Phase
4000.000 -36.387 -0.480

X Axis Y Axis


START

PRINT

OIM3300 SN3014 Bode Y

Wednesday, January 09, 2013


3:52 PM



OIM3300 SN3014 Small Step X

Wednesday, January 09, 2013


3:53 PM



OIM3300 SN3014 Med Step X

Wednesday, January 09, 2013


3:54 PM



OIM3300 SN3014 Large Step X

Wednesday, January 09, 2013


3:54 PM



OIM3300 SN3014 Small Step Y

Wednesday, January 09, 2013


3:54 PM



OIM3300 SN3014 Med Step Y

Wednesday, January 09, 2013

3:55 PM



OIM3300 SN3014 Large Step Y

Wednesday, January 09, 2013

3:55 PM

